


FRIEDMAN & BRUYA, INC.**ENVIRONMENTAL CHEMISTS****Date of Report: February 11, 1994****Date Received: February 9, 1994****Project: 7238, Metro Self-Monitor, PO #M33046****Date Samples Extracted: February 9, 1994****Date Extracts Analyzed: February 9, 1994****RESULTS FROM THE ANALYSIS OF THE WATER SAMPLE
FOR CHROMIUM, COPPER, NICKEL AND ZINC****Samples Processed Using Method 3005****Results Reported as mg/L (ppm)**

<u>Sample ID</u>	<u>Chromium</u>	<u>Copper</u>	<u>Nickel</u>	<u>Zinc</u>
M33046	0.95	2.1	1.6	0.3
<u>Quality Assurance</u>				
Blank	<0.05	<0.05	<0.05	<0.05
M33046 (Duplicate)	1.0	2.1	1.7	0.31
M33046 (Matrix Spike) % Recovery	80%	60% ^{vo}	81%	80%
M33046 (Matrix Spike Duplicate) % Recovery	88%	80%	87%	87%
Spike Blank % Recovery	98%	99%	96%	95%
Spike Level	5	5	10	5

^{vo} Value reported fell outside the control limits established for this analyte.

2. BTB - A
2.9.94
09:10

Send Report To: ALASKAN COPPER WORKS Contact GERALD Thompson
Company P.O. Box 3540
Address SEATTLE, WA. 98124
City, State, Zip 206-923-8800
Phone # 2-9-94
Date

SITE NO.	PROJECT NAME	PURCHASE ORDER #
7238	METRO SELF-MONITOR	M 33046
SAMPLERS (signature)	PROJECT LOCATION	
	3200 G th AVE. SOUTH	
REMARKS	SAMPLE DISPOSAL INFORM.	
	<input type="checkbox"/> Dispose after 30 days <input checked="" type="checkbox"/> Return Samples <input type="checkbox"/> Call for Instructions	

[illegible]

SIGNATURE	PRINT NAME	COMPANY	Date	Time
Relinquished by: <i>[Signature]</i>	GERALD Thompson	Alaskan Corner Works	3/9/94	8:25 Am
Received by: <i>[Signature]</i>	CL HICKS	F4B INC	2-9-94	8:25 AM
Relinquished by:				
Received by:				

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman
James E. Bruya, Ph.D.
(206) 285-8282

3008-B 16th Avenue West
Seattle, WA 98119
FAX: (206) 283-5044

DUPLICATE COPY

February 11, 1994

INVOICE # 94ACU0211-1

**Alaskan Copper Works
628 South Hanford
Seattle, WA 98134**

**RE: Project 7238, Metro Self-Monitor, PO #M33046: Results of testing requested
by Gerald Thompson, Project Leader for material submitted on February 9,
1994.**

**1 water sample analyzed for Chromium, Copper,
Nickel, Zinc @ \$65 per sample**

\$ 65.00

Amount Due

\$ 65.00

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman
James E. Bruya, Ph.D.
(206) 285-8282

3008-B 16th Avenue West
Seattle, WA 98119
FAX: (206) 283-5044

February 11, 1994

**Gerald Thompson, Project Leader
Alaskan Copper Works
628 South Hanford
Seattle, WA 98134**

Dear Mr. Thompson:

**Enclosed are the results from the testing of material submitted on February 9, 1994
from Project 7238, Metro Self-Monitor, PO #M33046.**

**We appreciate this opportunity to be of service to you and hope you will call if you
should have any questions.**

Sincerely,



**Bradley T. Benson
Chemist**

BTB/dp

Enclosures